

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"20040133565" and (use with lose with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:38
L2	1	"20040133565" and (value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:39
L3	0	"20040133565" and (use with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:41
L4	0	"20040133565" and (use with lose) and value	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:41
L5	1	"20040133565" and (use\$1lose) and value	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:41
L6	0	(filter\$3 with (records tuple)) and ((packet stream) with (header)) and (header with (identifier id)) and (compar\$3 with (identifier id) with (access user) with right)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:45

L7	0	(filter\$3 with (records tuple)) and ((packet stream) with (header)) and (header with (identifier id)) and ((compar\$3 determin \$6) with (identifier id) with (access user) with right)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:45
L8	616	(filter\$3 with (records tuple)) and ((packet stream) with (header))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:47
L9	226	(filter\$3 with (records tuple) with (packet stream)) and ((packet stream) with (header))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:48
L10	11	(filter\$3 with (records tuple) with (packet stream) with (identifier)) and ((packet stream) with (header))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:48
L11	24	(filter\$3 with (records tuple) with (packet stream) with (identifier id)) and ((packet stream) with (header))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:48
L12	0	(filter\$3 with (records tuple) with (packet stream) with (identifier id)) and ((packet stream) with (header)) and ((access priveledge) with right)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:49
L13	21	(filter\$3 with (records tuple) with (packet stream) with (identifier id)) and ((packet stream) with (header)) and (bit with (packet header))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:57

L14	0	(filter\$3 with (records tuple) with (packet stream) with (identifier id)) and ((packet stream) with (header)) and (bit with (packet header)) and sql	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:57
L15	0	(filter\$3 with (records tuple) with (packet stream) with (identifier id)) and ((packet stream) with (header)) and (bit with (packet stream header)) and sql	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:57
L16	2	(filter\$3 with (records tuple) with (packet stream) with (identifier id)) and sql	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 06:57
L17	0	(filter\$3 with (records tuple) with (packet stream) with (identifier id)) and sql and overflow	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 07:00
S1	86	(server with receiv\$3 with stream) and ((determin\$6 pars\$3) with stream with field)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:05
S2	6	(server with receiv\$3 with stream) and ((determin\$6 pars\$3) with stream with field) and ((assembl\$4 arrang\$3 generat\$4 form\$3 formation) with field with (tuple row))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:06

S3	6	(server with receiv\$3 with stream) and ((determin\$6 pars\$3) with stream with field) and ((assembl\$4 arrang\$3 generat\$4 form\$3 formation format\$4) with field with (tuple row))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:10
S4	3	"9855946"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:11
S5	8	(ellard with scott).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:11
S6	0	(ellard with scott).in. and stream\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:12
S7	3401	((convert\$3 conversion transform \$3 transformation) with (data\$1stream stream) with (table row tuple record))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:14
S8	33	((convert\$3 conversion transform \$3 transformation) with (data\$1stream stream) with (tuple))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:14
S9	2	(server with (convert \$3 conversion transform\$3 transformation) with (data\$1stream stream) with (tuple))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:14

S10	1	((convert\$3 conversion transform \$3 transformation) with (data\$1stream stream) with (tuple)) and (determin\$6 with field with (stream data \$1stream))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:15
S11	2	((convert\$3 conversion transform \$3 transformation) with (data\$1stream stream) with (tuple)) and ((determin\$6 locat\$4 recogni\$6) with field with (stream data \$1stream))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:21
S12	0	(pre\$1process\$3 with data with from with disk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:24
S13	330	(pre\$1process\$3 with data with disk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:24
S14	80	(pre\$1process\$3 with data with disk) and stream\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:24
S15	77	(pre\$1process\$3 with data with disk) and stream\$3 and field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:24
S16	0	(pre\$1process\$3 with data with disk) and stream\$3 and field and (interface with mass with storage with cpu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:26

S17	323	(pars\$3 with stream \$3 with header with (data record))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:29
S18	35	(pars\$3 with stream \$3 with header with (data record) with field)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:29
S19	19	(pars\$3 with stream \$3 with header with (data record) with field) and (filter\$3 with field)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:29
S20	2	(pars\$3 with stream \$3 with header with (data record) with field) and (filter\$3 with field) and (output with tuple)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:33
S21	58	"6151602"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 14:35
S22	1	((fifo first\$1in\$1first \$1out) with stream\$3 with (interface buffer)) and SQL and (determin\$6 with (field column)) and ((generat\$4 form\$3 arrang\$5 assembl\$5) with (row tuple record) with (output \$4 forward\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 15:25
S23	3	((fifo first\$1in\$1first \$1out) with stream\$3 with (interface buffer)) and SQL and (mass with storage with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 15:26

S24	1	((fifo first\$1in\$1first\$1out) with stream\$3 with (interface buffer)) and SQL and ((mass with storage with device) drive) and (multi \$1processor with system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 15:28
S25	6	((fifo first\$1in\$1first\$1out) with stream\$3 with (interface buffer)) and SQL and ((mass with storage with device) drive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 15:28
S26	1	(creat\$4 with packet with raw with data) and (mass with storage with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 15:32
S27	13	((creat\$4 convert\$3 conversion transform \$6 assembl\$3 form\$3 formation arrang\$3) with packet with raw with data) and (mass with storage with device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 15:33
S28	3	(pars\$3 with stream \$3 with (locat\$4 determin\$6) with (header) with field with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 15:47
S29	0	(use with lose).dlm. and (stream\$3 with data with interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 22:33
S30	934	(parallel with process \$3 with query)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 22:34

S31	19	(parallel with process \$3 with query) and (determin\$6 with result with (further more) with process \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 22:35
S32	8	(parallel with process \$3 with (query transaction)) and (determin\$6 with result with (further more) with process \$3) and ((transaction query) with (id identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 22:59

1/ 5/ 2009 8:19:27 AM

C:\Documents and Settings\klove\My Documents\EAST\Workspaces\10667203
\10667203_4.wsp